



## TECHNICAL REQUIREMENTS WALKWOMAN

### **Where /**

Outdoor and indoor.

We need a minimum space of 10 X 10 metres.

No slippery surfaces.

Restroom for six persons with a mirror, WC and shower.

A space for warming up, close to the performance space (minimum 20 square meters).

Two power outlets in the restroom.

6 Water bottles.

### **Length /**

Each performance is 15 min.

We can perform three times in a time laps of 4h

(for exemple 15h, 16h and 17h)

### **Capacity /**

200 persons

### **Travelling team /**

6 performers

1 technical assistant

1 production manager

### **Technical requirements /**

A portable amplifier on wheels, minimum 350 W.

We may supply our own if we come by car.

### **Sound and Surrounding /**

The beginning of the performance is silent and the end with loud music from the amplifier.

*It is important that there is no other musical source close to the performance.*

### **Preparation/**

No scenery. We need two hours of recognition of the performance space.

### **Compagnie Itinéraire bis**

11 ter, rue du Sergent Godefroy

93100 Montreuil

[info@walkwoman.fr](mailto:info@walkwoman.fr)

[www.walkwoman.fr](http://www.walkwoman.fr)

+ 33 6 17 72 82 84

Numéro de Siret : 829 344 589 00017

Code APE : 9001Z - Arts du spectacle vivant